



Personal Data - Cervical

Name	
Address	
Phone	
E-Mail	
Birthdate/ Age	
Height	
Weight	
Occupation	
If you are a candidate f	or surgery what month is best for you?

Pain history

Length of time		
Describe numbness, weakness, neurological de	eficits, leg pain (if any, left/right/both)	
What makes pain worse?		
what makes pain worse:		
Walking tolerance (minutes or distance)		
Standing tolerance (minutes)		
Standing tolerance (minutes)		
Sitting tolerance (minutes)		
Previous spine surgeries		
Other surgeries		

Medications (spine related & pain patches too)				
Medications (other)				
incured to the content of the conten				
Alloweige (weedigetiews wee	oatala atal			
Allergies (medications, m	ietais, etc.)			
Comical main biot				
Cervical pain hist				
(Accidents, events requir				
Event	Date	Data/Films	Description	

Personal medical history (answer yes/no. Detail if necessary)

Cardiovascular diseases Blood pressure/ hypertension Stroke Heart trouble Irregular heartbeat Blood clots/ embolism **Respiratory system** Nose throat problem Breathing problem Chest pain Asthma Pneumonia **Tuberculosis** Hormonal/ metabolic diseases Diabetes Thyroid problem Diseases of the nerve system Migraine headache

Nervous breakdown	
Eye problems	
Epilepsy	
Depression	
Gastrointestinal tract/organs	
Stomach problem	
pyrosis	
Colitis	
Hepatitis/ Jaundice	
Kidney problems	
Infectious diseases	
AIDS positive	
Hepatitis	
Blood diseases/ Anemia/ Trans	fusion
Bleeding problem	
Transfusion	
Anemia	
Joint/bone diseases	
Lupus	


Arthritis	
Back problems (other)	
Osteoporosis	
Cancer	
Details	
Habit details (Please	note all information is strictly confidential)
Consumption (daily, weekly, e	tc.)
Alcohol	
Cigarettes	
Drugs (Cannabis, etc.)	
Homeopathic	
Other	
Case history – work i	nvolvement and leisure time activities
The physical strain in job and le questionnaire will therefore he	eisure time plays a major role for orthopedic diagnosis and therapy. This elp us to help you.
1. What is the profession you w	vork in?


2. Have you had to stop working or change jobs bec	ause of your condition?	☐ Yes	☐ No
If yes, when?			
What job are you working in at present?			
3. You are working under these conditions.	Fulltime		
	Part-time		
	A few hours	per day	
4. Is your job physically straining for you?	☐ Yes	☐ No	
Is it associated with monotonous body postures?	? Tes	☐ No	
Does your status make it difficult to work?	☐ Yes	☐ No	
5. Do your complaints allow you to do sports?	☐ Yes	☐ No	
If yes, what kind of sports are you doing?			
Did you do any sports before?	Yes	☐ No	
If yes, what kind of sports?			
6. Will you have someone to support you at home a	fter surgery?	☐ Yes	□ No
Who would help you?			

Body scheme

Please describe your pain using the zones on the two images:

For example: C6 – pain/numbness/tingling





The visual analog scale is a horizontal straight line with the left end of the line representing no pain and the right end of the line representing the worst possible pain. Please make a mark on each line that represents the intensity of the pain in your back, in your left leg and in your right leg. The first line is an example of how to make the mark on the line.

Neck pain	:									
0	1	2	3	4	5	6	7	8	9	10
No pain									worst pos	ssible pain
Left Arm p	oain:									
0	1	2	3	4	5	6	7	8	9	10
No pain									worst pos	ssible pain
Right Arm	Leg pain:									
0	1	2	3	4	5	6	7	8	9	10
No pain									worst nos	sible pain

Owestry Disability Index

This questionnaire is designed to give the doctor information as to how your back pain has affected your ability to manage everyday life. Please answer every section and mark in each section only the ONE box which applies to you. We realize that you may consider that two of the statements in any one section relate to you, but please just mark the box which most closely describes your problem.

Section 1 – Pain Intensity	Section 6 – Standing
(0) I have no pain at the moment.	(0) I can stand as long as I want without extra pain.
(1) The pain is very mild at the moment.	(1) I can stand as long as I want but it gives me extra pain.
(2) The pain is moderate at the moment.	(2) Pain prevents me from standing for more than 1 hour.
(3) The pain is fairly severe at the moment.	(3) Pain prevents me from standing for more than ½ hour.
(4) The pain is very severe at the moment.	(4) Pain prevents me from standing for more than 10 minutes.
(5) The pain is the worst imaginable at the moment.	(5) Pain prevents me from standing at all.
	Section 7 – Sleeping
Section 2 – Personal Care (Washing, dressing, etc.)	(0) My sleep is never disturbed by pain.
(0) I can look after myself normally without causing extra pain.	(1) My sleep is occasionally disturbed by pain.
(1) I can look after myself normally but it is very painful.	(2) Because of pain I have less than 6 hours sleep.
(2) It is painful to look after myself and I am slow and careful.	(3) Because of pain I have less than 4 hours sleep.
(3) I need some help but manage most of my personal care.	(4) Because of pain I have less than 2 hours sleep.
(4) I need help every day in most aspects of self care.	(5) Pain prevents me from sleeping at all.
(5) I do not get dressed, wash with difficulty and stay in bed.	Section 8 – Sex Life (if applicable)
	(0) My sex life is normal and causes no extra pain.
Section 3 – Lifting	(1) My sex life is normal but causes some extra pain.
(0) I can lift heavy weights without extra pain.	
(1) I can lift heavy weights but it gives extra pain.	(2) My sex life is nearly normal but is very painful.
(2) Pain prevents me from lifting heavy weights off the floor but I can-	(3) My sex life is severely restricted by pain.
manage if they are conveniently positioned, for example on a table.	(4) My sex life is nearly absent because of pain.
(3) Pain prevents me from lifting heavy weights but I can manage light to	(5) Pain prevents any sex life at all.
medium weights if they are conveniently positioned.	
(4) I can lift only very light weights.	Section 9 – Social Life
(5) I cannot lift or carry anything at all.	(0) My social life is normal and causes no extra pain.
	(1) My social life is normal but increases the degree of pain.
Section 4 – Walking	(2) Pain has no significant effect on my social life apart from limiting my
(0) Pain does not prevent me from walking any distance.	more energetic interests such as sports, dancing, etc.
(1) Pain prevents me walking more than 1 mile.	(3) Pain has restricted my social life and I do not go out as often.
(2) Pain prevents me from walking more than ¼ mile.	(4) Pain has restricted my social life to my home.
(3) Pain prevents me from walking more than 100 yards.	(5) I have no social life because of pain.
(4) I can only walk using a stick or crutches.	Cooking 40. Transling
(5) I am in bed most of the time and have to crawl to the toilet.	Section 10 – Traveling (0) I can travel anywhere without extra pain.
	(1) I can travel anywhere but it gives extra pain.
Section 5 – Sitting	(2) Pain is bad but I mange journeys over 2 hours.
(0) I can sit in any chair as long as I like.	(2) Fain is bad but i mange journeys over 2 mours.

(1) I can sit in my favorite chair as long as I like.	(3) Pain restricts me to short journeys of less than 1 hour.
(2) Pain prevents me from sitting more than 1 hour.	(4) Pain restricts me to short necessary journeys of less than 30
(3) Pain prevents me from sitting more than ½ hour.	minutes. (5) Pain prevents me from traveling except to receive treatment.
(4) Pain prevents me from sitting more than 10 minutes.	
(5) Pain prevents me from sitting at all.	

Neck Disability Index

This questionnaire is designed to give the doctor information as to how your back pain has affected your ability to manage everyday life. Please answer every section and mark in each section only the **ONE** box which applies to you. We realize that you may consider that two of the statements in any one section relate to you, but please just mark the box which most closely describes your problem.

Section 1 – Pain Intensity	Section 6 – Concentration
(0) I have no pain at the moment.	(0) I can concentrate fully when I want to with no difficulty.
(1) The pain is very mild at the moment.	(1) I can concentrate fully when I want to with slight difficulty.
(2) The pain is moderate at the moment.	(2) I have a fair degree of difficulty in concentrating when I want to.
(3) The pain is fairly severe at the moment.	(3) I have a lot of difficulty in concentrating when I want to.
(4) The pain is very severe at the moment.	(4) I have a great deal of difficulty in concentrating when I want to.
(5) The pain is the worst imaginable at the moment.	(5) I cannot concentrate at all.
Section 2 – Personal Care (Washing, dressing, etc.)	Section 7 – Work
(0) I can look after myself normally without causing extra pain.	(0) I can do as much work as I want to.
(1) I can look after myself normally but it is very painful.	(1) I can only do my usual work, but no more.
(2) It is painful to look after myself and I am slow and careful.	(2) I can do most of my usual work, but no more.
(3) I need some help but manage most of my personal care.	(3) I cannot do my usual work.
(4) I need help every day in most aspects of self care.	(4) I can hardly do any work at all.
(5) I do not get dressed, wash with difficulty and stay in bed.	(5) I can't do any work at all.
Section 3 – Lifting	Section 8 – Driving
(0) I can lift heavy weights without extra pain.	(0) I can drive my car without any neck pain.
(1) I can lift heavy weights but it gives extra pain.	(1) I can drive my car as long as I want, with slight pain in my neck.
(2) Pain prevents me from lifting heavy weights off the floor but I can	(2) I can drive my car as long as I want, with moderate pain in my neck.
manage if they are conveniently positioned, for example on a table. (3) Pain prevents me from lifting heavy weights but I can manage light to	(3) I can't drive my car as long as I want, because of moderate pain in my neck.
medium weights if they are conveniently positioned.	(4) I can hardly drive at all because of severe pain in my neck.
(4) I can lift only very light weights.	(5) I can't drive my car at all.
(5) I cannot lift or carry anything at all.	
Section 4 – Reading	Section 9 – Sleeping
(0) I can read as much as I want to, with no pain in my neck.	(0) I have no trouble sleeping.
(1) I can read as much as I want to, with slight pain in my neck.	(1) My sleep is slightly disturbed (less than 1 hour sleepless).
(2) I can read as much as I want to, with moderate pain in my neck.	(2) My sleep is mildly disturbed (1-2 hours sleepless).
(3) I can't read as much as I want because of moderate pain in my neck.	(3) My sleep is moderately disturbed (2-3 hours sleepless).
(4) I can hardly read at all, because of severe pain in my neck.	(4) My sleep is greatly disturbed (3-5 hours sleepless).
(5) I cannot read at all.	(5) My sleep is completely disturbed (5-7 hours sleepless).

Section 5 – Headaches (0) I have no headaches at all.	Section 10 – Recreation (0) I am able to engage in all my recreation activities with no neck pain at
(1) I have slight headaches that come infrequently. (2) I have moderate headaches that come infrequently. (3) I have moderate headaches that come frequently. (4) I have severe headaches that come frequently. (5) I have headaches almost all the time.	all. (1) I am able to engage in all my recreation activities with some pain in m neck. (2) I am able to engage in most, but not all, of my usual recreation activities because of pain in my neck. (3) I am able to engage in a few of my usual recreation activities because of pain in my neck.
	(4) I can hardly do any recreation activities because of pain in my neck. (5) I can't do any recreation activities at all.

This survey asks for your views about your health.	This information will help	keep track of how	ou feel and how
well you are able to do your usual activities.			

Answer every question by selecting the answer as indicated. If you are unsure about how to answer a question, please give the best answer you can.

1.	In	general	l, would	you say	your	health	is:
----	----	---------	----------	---------	------	--------	-----

Excellent	Very good	Good	Fair	Poor

2. Compared to one year ago, how would you rate your health in general now?

Much better now	Somewhat better now	About the same	Somewhat worse now	Much worse now

3. The following questions are about activities you might do during a typical day. Does your health <u>now</u> limit you in these activities? If so, how much?

	Yes, limited a lot	Yes, limited a little	No, not limited at all
a) Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports			
b) Moderate activities , such as moving a table, pushing a vacuum cleaner, bowling, or playing golf			
c) Lifting or carrying groceries			
d) Climbing several flights of stairs			
e) Climbing one flight of stairs			
f) Bending, kneeling, or stooping			
g) Walking more than a mile			
h) Walking several blocks			
i) Walking one block			
j) Bathing or dressing yourself			

			Yes	No
ount of time you spent	on work or other activities	S		
o) Accomplished less than you would like				
e)Were limited in the kind of work or other activities				
Had difficulty performing the work or other activities (for example, it took extra effort)		effort)		
				or other regular dai
ount of time you spent	on work or other activities	3	П	
b) Accomplished less than you would like				
c) Didn't do work or other activities as carefully as usual				
Slightly			Quite a bit	Extremely
pain have you had Very mild	during the <u>past 4 we</u>		e Severe	Very severe
weeks, how much onework)?	did pain interfere wit		ormal work (includin	g both work outsid
	than you would like nd of work or other active ming the work or other active weeks, have you have of any emotional pount of time you spent than you would like er activities as carefully weeks, to what extrices with family, fries Slightly pain have you had	than you would like Ind of work or other activities Iming the work or other activities (for example, it to the work or other activities (for example, it to the work or other activities (such as feel to the work or other activities than you would like the activities as carefully as usual to weeks, to what extent has your physical ties with family, friends, neighbors, or great the work or other activities than you would like the activities as carefully as usual the weeks, to what extent has your physical ties with family, friends, neighbors, or great the work or other activities as carefully as usual the weeks, to what extent has your physical ties with family, friends, neighbors, or great the work or other activities as carefully as usual the weeks, to what extent has your physical ties with family, friends, neighbors, or great the work or other activities as carefully as usual the weeks, to what extent has your physical ties with family, friends, neighbors, or great the work or other activities as carefully as usual the weeks, to what extent has your physical ties with family, friends, neighbors, or great the work or other activities as carefully as usual the work or other activities as carefully as usual the weeks.	ming the work or other activities (for example, it took extra example) weeks, have you had any of the following probletof any emotional problems (such as feeling depression of time you spent on work or other activities than you would like er activities as carefully as usual weeks	than you would like Ind of work or other activities Iming the work or other activities (for example, it took extra effort) Iming the work or other activities (for example, it took extra effort) Iming the work or other activities (for example, it took extra effort) Iming the work or other activities with your work of any emotional problems (such as feeling depressed or anxious)? Iming the work or other activities (for example, it took extra effort) Iming the work or other activities with your work or anxious)? Iming the work or other activities (for example, it took extra effort) Iming the work or other activities or anxious)? Iming the work or other activities (for example, it took extra effort) Iming the work or other activities or anxious)? Iming the work or other activities or anxious or anxious

4. During the past 4 weeks, have you had any of the following problems with your work or other regular daily

How much of the time during the <u>past 4 weeks</u>							
	All of the time	Most of the time	e E	Good Bit of e Time	Some of the time	A little of the time	None of the time
a) Did you feel full of pep?							
b) Have you been a very nervous person?							
c) Have you felt so down in the dumps that nothing could cheer you up?							
d) Have you felt calm and peaceful?							
e) Did you have a lot of energy?							
f) Have you felt downhearted and blue?							
g) Did you feel worn out?							
h) Have you been a happy person?							
i) Did you feel tired?							
10. During the <u>past 4 weeks</u> , how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?							
	g friends, rela	atives, etc		ai neait	h or emotic	onai problems	interfered
All of the time Most of the		Some of the	c.)?		h or emotion		of the time
		-	c.)?				
	ime S	Some of the	time	A litt			
All of the time Most of the	following st	Some of the	time	A litt			
All of the time Most of the	following st	Some of the	for you?	A litt	tle of the time	None	of the time
All of the time Most of the 11. How TRUE or FALSE is each of the	following st	Some of the	for you? Mostly true	A litt	tle of the time	None Mostly false	of the time
All of the time Most of the 11. How TRUE or FALSE is each of the a) I seem to get sick a little easier than other	following st	Some of the	for you? Mostly true	A litt	tle of the time	Mostly false	of the time

9. These questions are about how you feel and how things have been with you during the past 4 weeks. For

each question, please give the one answer that comes closest to the way you have been feeling.

Optional note:	
Patient Initials:	Date